SePR Ag Upgrade Your Crop

Brake Herbicide for Peanut

Broad-spectrum preemergence peanut herbicide

Provides residual control of annual grass and broadleaf weeds

- Excellent Pigweed (Palmer amaranth) control
- Annual grass control including resistant goosegrass and Italian ryegrass
- Great residual control in wet conditions
- A unique HRAC/WSSA Group 12 mode of action
- Compatible with other herbicides and liquid fertilizer
- Crop rotation flexibility for your farming operation



Untreated



Brake[®] + Outlook[®] PRE followed-by Cadre[®] + 2,4-DB + Dual Magnum[®]

Brake[®] Herbicide Program

Start weed free, stay weed free. Use multiple modes of action. Overlap residuals.

- 1. Apply a preplant burndown to control exisiting weeds
- 2. Choose correct rate of Brake® based on soil type
 - Sands and loamy sands 12 fl. oz. Brake®/ acre
 - All other soil types 16 fl. oz. Brake®/ acre
- 3. Tank-mix Brake® with other residual herbicides and a burndown if necessary

Brake

Herbicide

Proven tank-mixes

- Burndown + Brake[®] + Valor[®] + Dual Magnum[®]
- Burndown + Brake® + Valor® + Outlook®
- Burndown + Brake[®] + Valor[®] + Prowl[®] H20
- Burndown + Brake[®] + Valor[®] + Strongarm[®]
- Burndown + Brake[®] + Valor[®] + Warrant[®]
- 4. Apply Brake® tank-mix at planting or within 36 hours of planting
- 5. Scout fields and utilize a timely post emergent herbicide plus an overlapping residual herbicide

Stop Weeds. Protect Peanut.

Plan Your Program, Work Your Program!

Crop Rotation Restrictions

Crops to be Planted	Minimum Rotation Interval (months after last Brake application) ¹
	16 fluid ounces or less Brake® per acre
Cotton	0
Peanut	0
Rice	0
Wheat, barley and rye	8 ²
Sweet Potato	2
Soybean	2
Corn and sorghum	10 ³
Alfalfa, sunflower and crops in the Solanaceae family (e.g. peppers, tobacco, tomatoes)	18



1 West TX only add 4 months to rotational restrictions for all crops except cotton and peanut.

2 If used as a cover crop (i.e. will not be harvested), wheat, barley, and rye may be planted 5 months after the last Brake application if no more than 16 fluid ounces were applied.

3 Minor chlorosis and stunting of corn and sorghum may occur, especially if heavy rainfall occurs during or soon after emergence, but plants typically outgrow these effects and develop normally. If this product is used for two consecutive years in the same field at a rate greater than 16 fl oz per acre, only plant cotton, peanut, rice, or soybean the following year in those fields.

Learn More



SePRO Ag, LLC Carmel, IN 46032 ag.sepro.com (844) 766 2727

Always read and follow label directions. Brake is a registered trademark of SePRO Corporation. Strongarm is a registered trademark of Dow AgroSciences LLC. Dual Magnum is a registered trademark of a Syngenta Group Company. Valor is a registered trademark of Valent U.S.A. Corporation. Cadre, Prowl and Outlook are registered trademarks of BASF. Warrant is a registered trademark of Monsanto Technology, LLC. Copyright ©2024 SePRO Ag, LLC. New 03/14/2024.

